SAFETY DATA SHEET

Medina Agriculture Products Co.

P.O. Box 309

4360 Highway 90 West Hondo, TX 78861

Ph:830-426-3011

830-426-2288 Fax

CHEMTREC 24-HOUR EMERGENCY RESPONSE

TOLL FREE NUMBER: (800) 424-9300

INTERNATIONAL CALLS: COLLECT (202) 483-7616

CHEMTREC should only be contacted in the event of chemical emergencies involving a

spill, leak, fire, exposure, or accident involving chemicals.

1. PRODUCT IDENTIFICATION

(Produced in U.S.A., Brazil & Mexico)

Product Name Medina Orange Oil **Synonyms** None

CAS No. 8008-57-9

Use Food and industrial

Other Names Orange Peel Oil **EINECS No.** 232-433-8

UN No. 2319

FEMA No.

applications FDA-GRAS List No.

2633 21 CFR 182-20

Cold Pressed Orange Oil

2. HAZARDS IDENTIFICATION

Emergency Overview OSHA Hazards

Combustible Liquid

GHS Classification

Flammable Liquids (Category 3) Skin irritation (Category 2)

GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapor. H315 Causes skin irritation

Precautionary statement None

HMIS Classification

2 Health hazard: Flammability: 2 Physical hazards: 0

NFPA Rating

Health 2 Fire 2 Reactivity 0

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation. Ingestion May be harmful if swallowed.

3. FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES:

Skin Contact: Wash affected area with copious amounts of soap and water.

Eye Contact: Remove any contact lenses at once. Flush eyes well with large quantities of water for at least

15 min. See physician immediately.

Accidental For small amounts, give milk of magnesia or a glass or two of water or milk. For large

Ingestion: quantities, consult a physician.

Inhalation: If symptoms of overexposure are experienced, evacuate to fresh air. If symptoms persist,

seek medical attention.

4. HAZARDOUS INGREDIENTS

Hazardous Components	%	OSHA PEL	ACGIH TLV	Other Limits
D-Limonene	>95	N/A	N/A	N/A
Terpene Hydrocarbons	<3	N/A	N/A	N/A
Oxygenated Terpenes	<2	N/A	N/A	N/A

5. FIRE & EXPLOSION HAZARD DATA

Flash Point: 113 to 121°F (45 to 49°C) Identification No.: UN 2319

Extinguishing Media: Regular Foam, CO₂, Dry Chemical (Class B)

Flammable Limits (% by volume): Not Available

Special Fire Fighting Procedures and Equipment: Do NOT use water. As with any fire situation, full face, self-contained breathing apparatus and appropriate protective clothing should be worn. Under fire conditions, this product may release CO, CO₂, smoke, and other decomposition products of undetermined hazard, but it is <u>NOT</u> an oxygen donor. Water is unsuitable for use on burning material, but may be used to cool containers exposed to heat.

Incompatible with strong oxidizing agents.

NFPA Codes: Health: 1 Fire: 2 Reactivity: 0

(Degree of Hazard: 4=Extreme 3=High 2=Moderate 1=Slight 0=Insignificant)

6. SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled: Use protective solvent resistant gloves to avoid skin contact. Small spills can be wiped up with vermiculite or other suitable absorbent material and removed to an approved disposal container. Large spills should be absorbed by dirt, sand, or other suitable absorbents for disposal. Do not hose spills down drains. Move leaking containers to well ventilated area. No Smoking. Eliminate any source of ignition. Avoid inhalation. Use NIOSH-approved respiratory protection device.

7. SPECIAL PRECAUTIONS

Handling and Storage Precautions: Store in closed containers away from heat or sources of ignition and oxidizing materials. Protect against physical damage to containers. Avoid inhalation and contact with skin and eyes. **Other Precautions:** Do not dispose of solvent or oil-soaked combustible materials (rags, paper, etc.) in an open container or trash can. Place rags in approved waste cans or soak with water.

8. OCCUPATIONAL PROTECTIVE MEASURES

Respiratory Protection: Not normally needed in well ventilated areas. If vapor concentration is high,

use NIOSH-approved respiratory protection device.

Ventilation: General mechanical ventilation (to reduce fumes).

Protective Gloves: Neoprene or Rubber.

Eye Protection: OSHA-approved safety glasses with side shields.

Other Protective Equipment: Eye bath and safety shower.

Work/Hygienic Practices: Good personal hygiene practices should be used. Wash after any contact,

before eating, and at the end of the work period.

9. PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 347.9 to 352.4°F **Odor:** Pungent Orange Aroma

(**763 mm Hg**) (175.5 to 178°C)

Vapor Pressure 1.0mmHg Melting Point/Range: -89°C to -96.9°C

(mm Hg @ 14°C)

Specific Gravity: 0.838 to 0.850 g/ml Refractive Index: 1.472

(@ 20 to 25°C) (@ 20°C)

Vapor Density: 4.73 Evaporation Rate: <1.0

(Air = 1) (Ether = 1)

Volatile fraction by weight:100%Solubility in Water:NegligibleViscosity @ 20°C:1.28 cSTHeat of Combustion:1.471 Kcal/molAniline Point:-15°CSurface Tension:25 mN m-1

(@ 22°C)

10. REACTIVITY DATA

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition

Products: Burning produces Carbon Monoxide and/or Carbon Dioxide.

Hazardous Polymerization: Will not occur.

Incompatibilities: Avoid strong oxidizing agents. Avoid exposure to sparks, heat and flames.

11. HEALTH HAZARD DATA

Carcinogenicity: N/A NTP: TR347 OSHA: Combustible Liquid IARC: N/A

Signs & Symptoms of Acute & Chronic

Exposure: Eye, skin and mucous membrane irritation

Primary Routes of Entry: Inhalation and Absorption

Medical Conditions Aggravated: Eye, skin and upper respiratory inflammation.

Acute Effects: LD₅₀, Oral (rat): 4,400 mg/kg.

LD₅₀, Dermal (rabbit): >2,000 mg/kg. LD₅₀, Dermal (mice): 5,600 to 6,600 mg/kg.

Permissable Exposure Concentration: for d-Limonene Sax Quotes:

LPR-Mus TD_{Lo}: 4800 mg/kg/8W-I: ETA ORL-Mus TD_{Lo}: 67 mg/kg/39W-I: ETA

EMERGENCY AND FIRST AID PROCEDURES:

Skin Contact: Wash affected area with copious amounts of soap and water.

Eye Contact: Remove any contact lenses at once. Flush eyes well with large quantities of water for at

least 15 min. See physician immediately.

Accidental Ingestion: For small amounts, give milk of magnesia or a glass or two of water or milk. For large

quantities, consult a physician.

Inhalation: If symptoms of overexposure are experienced, evacuate to fresh air. If symptoms persist,

seek medical attention.

12. ECOLOGICAL INFORMATION

"Marine Pollutant: Classified as slight hazard for water WGK-1 (self statement)"

Ecotoxicity: Fish Toxicity: LC-0 = 26 mg/l

LC-50 = 33 mg/l LC-100=43 mg/l

Daphnia toxicity: not available Alga toxicity: not available Earthworm toxicity: not available Plant toxicity: not available

Ozone Depletion Potential: Zero stratospheric

Global Warming Potential: Zero

Photodegradability: Atmospheric half-life = c.a. 1 hour.

(Note: d-Limonene, in common with other terpenes, represent a major sink for the undesirable troposheric ozone, removing the smog-forming catalyst nitrogen oxides and consuming ozone at an increased rate at night. While the material is photoreactive, the benefits of removing ozone and nitrogen oxides outweigh the

negative with hydroxyl radical)

Biodegradability:d-Limonene is a biodegradable solvent occurring in nature as the main component

of peel oil.

100% in 28 days

Bio-Accumulation: Not available

Other Data: Chemical oxygen demand: 2.850 gO₂/l or 3.280 gO₂/kg

13. DISPOSAL CONSIDERATIONS

Waste Handling & Disposal Method: Dispose of in accordance with Federal, State and Local environmental regulations. In most cases land fill or incineration would apply. There are no uniform EC regulations for the disposal of chemicals or residues. Chemical residues generally are applied as "special waste." We recommend that you contact either the authorities in charge or approved waste companies which will advise you on how to dispose of special waste. Do not allow to enter drinking water supplier, waste water or soil without municipal authorization.

14. REGULATORY STATUS

- 1) FDA & FEMA list orange oil which is 95%+ d-Limonene as GRAS Generally Regarded As Safe.
- 2) NTP, OSHA, and IARC do NOT list product as carcinogenic to humans.
- 3) Unused product is NOT listed by EPA as hazardous waste (40 CFR part 26 IQ).
- 4) d-Limonene is NOT listed on California's Prop. 65 toxic substance list.
- 5) d-Limonene is listed on EPA's Chemical Inventory, PL94-469; however, <u>NOT</u> on EPA's CORR (Chemicals or Regulatory Rules) list, which contains those materials which pose a health or environmental risk.
- 6) d-Limonene does <u>NOT</u> contain lead, cadmium, mercury, or hexavalent chromium or come into contact with these chemicals since it is a citrus derived by-product oil produced by steam distillation.
- 7) The components of this product are included on the EPA TSCA Chemical Substance Inventory.
- 8) The components of this product are included on Canada's Domestic Substance List (DSL).

DOT shipping name UN1169, extracts, aromatic, liquid, 3, III

15. OTHER INFORMATION

<u>VOC INFORMATION:</u> Since orange oil is categorized as an essential oil, it is excluded from VOC regulation. However, when it is categorized as a solvent, orange oil is reportable as 95% VOC (850 grams per liter, 6.81 lbs. per gallon).

ASTM D1364: <0.1% Water **EPA 24 DENSITY:** 0.8422 Kg/L Density

The information contained herein is based on data considered to be accurate and reliable. No warranty is expressed or implied regarding the accuracy or correctness of this data. It is the user's obligation to determine the safe use of the product since conditions of use, handling, storage and disposal are beyond our control.

16. REFERENCES

- 1. R.J. Braddock, F. Temell and K.R. Cadwallader, Citrus Essential Oils-1986
- 2. Citrus Essential Oils-A Dossier for Material Safety Data Sheets-Food Technology 40 (11) 114-116
- 3. Official Journal of the European Communities
- 4. Merck Index-Tenth Edition-1983
- 5. Citrus Florida Oils (156-157)
- 6. Different Customers
- 7. The Essential Oils-Ernest Guenter-1975
- 8. R.J. Braddock-Handbook of Citrus By-Products and Processing Technology-Chapter 12-1999

effective 03/01/2025